

Шкафы для безопасного хранения едких веществ SL-LINE, CX-CLASSIC, CX-CLASSIC-MultiRisk

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: auj@nt-rt.ru || сайт: <https://asecos.nt-rt.ru/>

SL-LINE | SL-CLASSIC-UB



Model SL.060.110.UBM.2T
Order No. 38006-001-30621



Model SL.060.059.UBM.T
Order No. 38011-001-30624

Technical data

		SL.060.059.UBM.T(R)	SL.060.110.UBM.2T
External dimensions W x D x H	mm	594 x 576 x 601	1104 x 576 x 601
Internal dimensions W x D x H	mm	488 x 531 x 562	all compartments: 489 x 531 x 562
Weight without interior equip.	kg	49	64
Extraction air	DN	50	50
Air change 30 times	m ³ /h	4	9
Diff. pressure (air change 30 times)	Pa	1	2
Distributed load	kg/m ²	151	93
Maximum load	kg	100	100

Main features



Perfect for installation under fume cupboards or hazardous materials workplaces






Highly resistant surfaces



With metal cladding on exterior of doors and body

You will find technical drawings for these cabinet models from page 318

Model	Information / equipment	Colour	Order No.
SL.060.110.UBM.2T	without interior equipment, version with metal housing	light grey RAL 7035 laboratory white (sim. RAL 9016)	38006-001 38006-005
SL.060.059.UBM.T	without interior equipment, left hinged, version with metal housing	light grey RAL 7035 laboratory white (sim. RAL 9016)	38011-001 38011-005
SL.060.059.UBM.TR	without interior equipment, right hinged, version with metal housing	light grey RAL 7035 laboratory white (sim. RAL 9016)	39161-001 39161-005
Interior equipment packages (can only be ordered in combination with the cabinet)		Material	Order No.
SL.060.110.UBM.2T			
Left: 1x pull-out shelf with plastic sump (V=11.0L) Right: 1x pull-out shelf with plastic sump (V=11.0L)		panel melamine resin-coated/PP grey	30620
Left: 2x pull-out shelf with plastic sump (V=11.0L) Right: 2x pull-out shelf with plastic sump (V=11.0L)		panel melamine resin-coated/PP grey	30621
SL.060.059.UBM.T(R)			
1x pull-out shelf with plastic sump (V=11.0L)		panel melamine resin-coated/PP grey	30624
2x pull-out shelf with plastic sump (V=11.0L)		panel melamine resin-coated/PP grey	30625
Interior equipment	Material	W x D x H (mm)	 ¹⁾  ²⁾  ³⁾ Order No.
Pull-out shelf with plastic sump	panel melamine resin-coated/PP grey	407 x 468 x 80*	25.00 11.00 10.00 30770
Document holder DIN A5	polystyrene		30793
Castors with plinth	powder-coated sheet steel RAL 7015	1097 x 60 x 30	31358
Castors with plinth	powder-coated sheet steel RAL 7015	587 x 60 x 30	31360
Accessories			Order No.
Extraction unit without exhaust air monitoring			17178

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)

CX-LINE | CX-CLASSIC

Recirculating air filter storage cabinets for the storage of non-flammable and toxic hazardous materials and the extraction and filtration of their vapours

1

Elimination of harmful vapours due to the recirculating air filter unit. Permanent extraction and filtration of hazardous vapours.



2

Multifunctional

The CX-LINE recirculating air filter storage cabinets enable the common storage, extraction and filtration of the most diverse hazardous materials in one cabinet

Flexibility³

3

Eco-friendly

Long filter lifetimes, environmentally and customer-friendly reusable filter system



4

No unauthorised use

Doors lockable with profile cylinder and cylinder lock.



5

The CX-LINE is based on the CS-CLASSIC and CS-CLASSIC-MultiRisk cabinets.



6

Low noise level

At approx. 39 dB (A), the unit is extremely quiet and does not produce any perturbing noises. Visual and acoustic signals provide a clear warning in an emergency and, in combination with the potential-free alarm contact, ensure maximum safety.





- Conformity of the Q-LINE safety storage cabinets according to **EN 16121** and **16122** (EN 16121:2013+A1:2017)



- **Excellent products with special manufacturer warranty**
- Extended **manufacturer warranty of up to five years** in connection with an asecos service tariff



CX-LINE | CX-CLASSIC



Model CX.229.105.WDFW
Order No. 32925-041-30508



Model CX.229.105.WDFW
Order No. 32925-050-30516



Model CX.229.105.WDFW
Order No. 32925-041-30518

Technical data

External dimensions W x D x H	mm	1055 x 520 x 2290
Internal dimensions W x D x H	mm	996 x 493 x 1835
Weight without interior equip.	kg	105
Frequency	Hz	50
Nominal voltage	V	230
Max. current consumption	A	0.5
Power consump. in operation	W	120
Power consump. in standby mode	W	50

Main features



Self-sufficient and flexible storage solution



Cabinet incl. recirculating air filter unit

Model	Body colour	Door colour	Order No.
CX.229.105.WDFW	anthracite grey RAL 7016	light grey RAL 7035	32925-041
		pure white RAL 9010	32925-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=270L)	sheet steel galvanised	30508
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=270L)	powder-coated sheet steel RAL 7035, sheet steel galvanised	30510
4x pull-out shelf with plastic sump (V=33.0L)	sheet steel powder-coated/PP RAL 7035	30516
6x pull-out shelf with plastic sump (V=33.0L)	sheet steel powder-coated/PP RAL 7035	30518

Interior equipment	Material	W x D x H (mm)	1)	2)	3)	Order No.
Shelf	sheet steel galvanised	993 x 492 x 30	100.00			30519
Shelf	powder-coated sheet steel RAL 7035	993 x 492 x 30	100.00			30520
Perforated Insert	sheet steel galvanised	976 x 427 x 41	60.00			30521
Bottom collecting sump	sheet steel galvanised	978 x 430 x 85*		27.00	24.55	30522
Bottom collecting sump big with grid	sheet steel galvanised and coated blue	984 x 382 x 175*		66.00	60.00	30524
Pull-out shelf with plastic sump	sheet steel powder-coated/PP RAL 7035	888 x 415 x 107*	30.00	33.00	30.00	30525
Box for chemicals	PP blue	410 x 300 x 260				30038

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)

Accessories	Material	W x D x H (mm)	Order No.
Activated carbon replacement filter	activated carbon	270 x 270 x 246	32952



Model CX.229.081.WDFW
Order No. 32929-050-30542



Model CX.229.081.WDFW
Order No. 32929-041-30548





Model CX.229.081.WDFW
Order No. 32929-041-30550

Technical data




External dimensions W x D x H	mm	810 x 520 x 2290
Internal dimensions W x D x H	mm	751 x 493 x 1835
Weight without interior equip.	kg	93
Frequency	Hz	50
Nominal voltage	V	230
Max. current consumption	A	0.5
Power consump. in operation	W	120
Power consump. in standby mode	W	50

Main features

-  Self-sufficient and flexible storage solution
-  Cabinet incl. recirculating air filter unit

Model	Body colour	Door colour	Order No.
CX.229.081.WDFW	anthracite grey RAL 7016	light grey RAL 7035	32929-041
		pure white RAL 9010	32929-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=28.0L)	sheet steel galvanised	30542
3x shelf, 1x perforated insert, 1x bottom collecting sump (V=28.0L)	powder-coated sheet steel RAL 7035, sheet steel galvanised	30544
3x shelf, 1x bottom collecting sump with grid (V=33.0L)	sheet steel galvanised, sheet steel galvanised and coated blue	30546
3x shelf, 1x bottom collecting sump with grid (V=33.0L)	powder-coated sheet steel RAL 7035, sheet steel galvanised and coated blue	30547
4x pull-out shelf with plastic sump (V=22.0L)	sheet steel powder-coated/PP RAL 7035	30548
6x pull-out shelf with plastic sump (V=22.0L)	sheet steel powder-coated/PP RAL 7035	30550

Interior equipment	Material	W x D x H (mm)	 ¹⁾	 ²⁾	 ³⁾	Order No.
Shelf	sheet steel galvanised	748 x 492 x 30	60.00			30551
Shelf	powder-coated sheet steel RAL 7035	748 x 492 x 30	60.00			30552
Perforated Insert	sheet steel galvanised	731 x 412 x 41	60.00			30553
Bottom collecting sump	sheet steel galvanised	736 x 415 x 112*		28.00	25.45	30554
Bottom collecting sump with grid	sheet steel galvanised and coated blue	739 x 411 x 129*		33.00	30.00	30555
Pull-out shelf with plastic sump	sheet steel powder-coated/PP RAL 7035	644 x 416 x 102*	30.00	22.00	20.00	30556
Box for chemicals	PP blue	410 x 300 x 260				30038

* usable storage space W x D (mm)
1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)

Accessories	Material	W x D x H (mm)	Order No.
Activated carbon replacement filter	activated carbon	270 x 270 x 181	32953

CX-LINE | CX-CLASSIC-MultiRisk



Model CX.229.105.MM.4WD
Order No. 32933-050-30806



Model CX.229.105.MM.4WD
Order No. 32933-050-30808



Model CX.229.105.MM.4WD
Order No. 32933-050-31947

Technical data

External dimensions W x D x H	mm	1055 x 520 x 2290
Internal dimensions W x D x H	mm	996 x 493 x 1835
Weight without interior equip.	kg	98
Frequency	Hz	50
Nominal voltage	V	230
Max. current consumption	A	0.5
Power consump. in operation	W	120
Power consump. in standby mode	W	50

Main features






Self-sufficient and flexible storage solution



Cabinet incl. recirculating air filter unit

Model	Body colour	Door colour	Order No.
CX.229.105.MM.4WD	anthracite grey RAL 7016	pure white RAL 9010	32933-050

Interior equipment packages (can only be ordered in combination with the cabinet)	Material	Order No.
4x shelf, 2x bottom collecting sump (V=19.0L), 4x perforated insert, 2x bottom collecting sump (V=19.0L)	powder-coated sheet steel RAL 7035, sheet steel galvanised	30805
4x shelf, 2x bottom collecting sump (V=19.0L), 4x perforated insert, 2x bottom collecting sump (V=19.0L)	sheet steel galvanised	30806
Top: 2x shelf, 2x perforated insert, 1x bottom collecting sump (V=19.0L), 1x bottom collecting sump (V=19.0L) Bottom: 4x pull-out shelf (V=11.0L)	powder-coated sheet steel RAL 7035, sheet steel galvanised, sheet steel powder-coated/PP RAL 7035	30807
Top: 2x shelf, 1x bottom collecting sump (V=19.0L), 2x perforated insert, 1x bottom collecting sump (V=19.0L) Bottom: 4x pull-out shelf (V=11.0L)	sheet steel galvanised, sheet steel powder-coated/PP	30808
8x pull-out shelf for cabinets with vertical dividing wall (V=11.0L)	sheet steel powder-coated/PP RAL 7035	31947

Interior equipment	Material	W x D x H (mm)	 1)	 2)	 3)	Order No.
Shelf	sheet steel galvanised	474 x 486 x 30	50.00			30838
Shelf	powder-coated sheet steel RAL 7035	474 x 486 x 30	50.00			30837
Perforated insert	sheet steel galvanised	464 x 408 x 41	50.00			30584
Bottom collecting sump for cabinets with vertical dividing wall	sheet steel galvanised	469 x 412 x 118*		19.00	1727	30840
Bottom collecting sump with grid for cabinets with vertical dividing wall	powder-coated sheet steel blue	466 x 406 x 136*		22.00	20.00	30841
Pull-out shelf for cabinets with vertical dividing wall	sheet steel powder-coated/PP RAL 7035	370 x 417 x 89*	30.00	11.00	10.00	30839
Box for chemicals	PP blue	410 x 300 x 260				30038

* usable storage space W x D (mm)

1) load capacity (kg), 2) retention capacity (ltr), 3) maximum container volume in the cabinet (ltr)

Accessories	Material	W x D x H (mm)	Order No.
Activated carbon replacement filter	activated carbon	270 x 270 x 246	32952

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: auj@nt-rt.ru || сайт: <https://asecos.nt-rt.ru/>